
136008

DPCC70E0

Glass ceramic electric boiling top with 4 heating zones (Drop-in version)




- Electric glass ceramic drop-in (70 x 60 x 26.6 cm) with 4 independent cooking zones.
- Drop-ins are appliances inserted into worktops of different non-flammable materials. Modules can rest on the worktop or be installed flush the worktop.
- Glass ceramic cook top (6 mm thick) hermetically sealed to the top for maximum hygiene and ease of cleaning.
- Ultra-rapid infrared heating elements with a power of 1.8 kW in a single circuit and 2.5 kW in a dual circuit for each independent area.
- Energy regulator 0-6-infinite.
- Temperature limiter to prevent overheating.
- Lights warning when the heating areas are active.
- Warning lamps on the glass to enhance operator safety by signalling residual heat.
- Stainless steel control panel.





TECHNICAL DATA

TOTAL POWER	8,6 kW	ELECTRIC POWER	8,6 kW
FREQUENCY	50/60 Hz	VOLTAGE	400 3N ~ V
BOILING TOP POWER	8,6 kW	COOKING ZONE POWER	2X1,8 + 2X2,5 n°- kW
2-ZONE HEATING ELEMENTS	n° 2	NUMBER OF COOKING ZONES	n° 4
HEATING ZONES	n° 4	WIDTH	70 cm
DEPTH	60 cm	HEIGHT	26,6 cm
PACKAGE WIDTH	76,0 cm	PACKAGE DEPTH	71,0 cm
PACKAGE HEIGHT	53 cm	NET WEIGHT	19 kg
GROSS WEIGHT	24 kg	VOLUME	0,29 m³

INSTALLATION DIAGRAMS





Standard installation




(*) dipende dal modello
variable from models


(**) 110 mm
per modelli DBM_
for DBM_ models




SOLUTION 1




SOLUTION 2




SOLUTION 3 (only DL_ & DCP_)



Fixing Type 1



Fixing Type 2 & 3



Side installation

