
136034

DSP35E0**GN2/3 electric chip scuttle (Drop-in version)**




- GN 2/3 electric drop-in chip scuttle (35 x 60 x 26.6 cm).
- Drop-ins are appliances inserted into worktops of different non-flammable materials. Modules can rest on the worktop or be installed flush the worktop.
- Stainless steel control panel.
- AISI 304 stainless steel worktop with Scotch Brite finish.
- Heating through a lamp with ceramic-cast infrared heating element.
- Included with a removable (GN 2/3 H 200 mm) container with false bottom for oil dripping, both in AISI 304 stainless steel.
- Energy regulator 1-6-Infinite.





TECHNICAL DATA

TOTAL POWER	0,65 kW	ELECTRIC POWER	0,65 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
TANK CAPACITY	GN2/3	TANK DIMENSIONS	32,5X35,4X20 cm
TANK TYPE	AISI 304	WIDTH	35 cm
DEPTH	60 cm	HEIGHT	26,6 cm
PACKAGE WIDTH	75,0 cm	PACKAGE DEPTH	47,0 cm
PACKAGE HEIGHT	59,0 cm	NET WEIGHT	12,6 kg
GROSS WEIGHT	17,6 kg	VOLUME	0,2100 m³

INSTALLATION DIAGRAMS





Standard installation




(*) dipende dal modello
variable from models


(**) 110 mm
per modelli DBM_
for DBM_ models




SOLUTION 1




SOLUTION 2




SOLUTION 3 (only DL_ & DCP_)







Fixing Type 1



Fixing Type 2 & 3



Side installation



SIDE INSTALLATION
KIT INCLUDED

