SALAMANDRE ULTRARAPIDE

216036

QSET40/0CB

Ultra-rapid contact electric Salamander with movable radiant plate and tray detection bar (QSET)

- QSET40/0CB ultrarapid electric salamander (40 cm) with movable plate and plate detection bar.
- 1 cooking zone 40x35 cm.
- A salamander is a versatile appliance used for cooking au gratin, keeping ready-to-serve dishes warm, finishing baked dishes like lasagna and flans, as well as grilling and finishing meats such as hamburgers, steaks, sausages, and cutlets.
- AISI304 stainless steel structure open on 3 sides.
- Upper movable plate with rounded corners sliding on guides.
- Ultra-rapid infrared heating elements installed on the movable upper plate, protected by a glass ceramic plate.
- The tray detection bar switches the salamander on and off automatically depending on whether there is a tray on the cooking top.
- On first startup, the set operating temperature is reached in just 20 seconds. For subsequent uses, it takes just 5 seconds, leading to substantial energy savings.
- Aluminium handle with heat-resistant spacers.
- Knob for adjusting the cooking time from 0 to 99 minutes, displayed on the digital screen.
- START and STOP touch buttons.
- Air intakes on the moveable upper plate to expel heat and fumes.
- Removable chrome-plated steel cooking grid and AISI304 stainless steel grease collection container with heat-resistant handle.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Wall installation brackets (optional)

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it

TECHNICAL DATA

TOTAL POWER	2 kW	ELECTRIC POWER	2 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
HEATING PLATES	n° 1	COOKING SURFACE	40X35 cm
TIMER	0-99 min	HEATING ZONES	n° 1
FOOT HEIGHT	31 mm	IPX RATING	3
WIDTH	40 cm	DEPTH	54,8 cm
HEIGHT	50 cm	PACKAGE WIDTH	51 cm
PACKAGE DEPTH	61 cm	PACKAGE HEIGHT	72 cm
NET WEIGHT	40 kg	GROSS WEIGHT	46,2 kg
VOLUME	0,22 m³		

ACCESSORIES

9003	PAIR OF WALL BRACKETS FOR SALAMANDERS QSE-SE

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it

INSTALLATION DIAGRAMS



TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it