216041

SE40/0CB

Classic electric Salamander with movable top (SE)

- Classic SE40/0CB electric salamander (40 cm) with movable plate.
- 1 cooking zone 40x35 cm.
- A salamander is a versatile appliance used for cooking au gratin, keeping ready-to-serve dishes warm, finishing baked dishes like lasagna and flans, as well as grilling and finishing meats such as hamburgers, steaks, sausages, and cutlets.
- AISI304 stainless steel structure open on 3 sides.
- Upper movable plate with rounded corners sliding on guides.
- Heating through Incoloy armoured heating elements on the upper movable plate.
- Heating elements can be sloped to facilitate maintenance.
- Temperature control via energy regulator.
- Aluminium handle with heat-resistant spacers.
- Removable chrome-plated steel cooking grid and AISI304 stainless steel grease collection container with heat-resistant handle.
- Height-adjustable rubberised plastic feet (15-25 mm).
- Wall installation brackets (optional)

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it

TECHNICAL DATA

TOTAL POWER	2 kW	ELECTRIC POWER	2 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
HEATING PLATES	n° 1	COOKING SURFACE	40X35 cm
HEATING ZONES	n° 1	IPX RATING	3
WIDTH	40 cm	DEPTH	54,8 cm
HEIGHT	50 cm	PACKAGE WIDTH	51 cm
PACKAGE DEPTH	61 cm	PACKAGE HEIGHT	72 cm
NET WEIGHT	35 kg	GROSS WEIGHT	44 kg
VOLUME	0,22 m³		

ACCESSORIES

9003	PAIR OF WALL BRACKETS FOR SALAMANDERS QSE-SE

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it

INSTALLATION DIAGRAMS



AL Entrata cavo elettrico | Power supply cable inlet | Netzkabeleingang | Entree cable electrique | Entrada cable electrico.
AL2 Alternativo | Alternative | Alternative | Alternative | Alternative | Alternativa

Data stampa | Print date	Foglio | Sheet	Formato | Format	Scala | Scale	Modelli | Modèls	Codice | Code
26.02.20	1/1	A3	0.150	SE40_ | SE60_ | SE80_ | QSE_40 | QSE_60	5415.693.01

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it