

---

**316223**


---

**PIN4E9N****2-zone induction boiling top (top version)**

---



- Induction boiling top (40 cm) with 2 independent cooking zones.
- Height-adjustable rubberised plastic feet (15-25 mm).
- AISI 304 stainless steel 2mm thick worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Glass ceramic boiling top (6 mm thick) hermetically sealed to the top for maximum hygiene and ease of cleaning.
- 5 kW independent cooking zones each.
- Power regulator 0-6-infinite.
- Increased heating speed compared to other boiling top types.
- Heating is enabled only when in contact with the pan, saving energy and reducing overheating.
- Front air filter drawer easily accessible for cleaning and replacement.
- LED lights for detecting pans and signalling operation and errors.
- To optimise efficiency, use high-quality induction cookware with a base diameter ranging between 12 cm and 32 cm.
- Setup for installing a water tap.
- Technical compartment for easy connection to the electrical network.
- Avoid placing above ovens or refrigerated bases.



TECHNICAL DATA

|                    |            |                         |           |
|--------------------|------------|-------------------------|-----------|
| TOTAL POWER        | 10 kW      | ELECTRIC POWER          | 10 kW     |
| FREQUENCY          | 50/60 Hz   | VOLTAGE                 | 400 3 ~ V |
| COOKING ZONE POWER | 2X5 n°- kW | NUMBER OF COOKING ZONES | n° 2      |
| FOOT HEIGHT        | 15 mm      | FOOT ADJUSTMENT         | 15/25 mm  |
| IPX RATING         | 4          | WIDTH                   | 40 cm     |
| DEPTH              | 90 cm      | HEIGHT                  | 28 cm     |
| PACKAGE WIDTH      | 101 cm     | PACKAGE DEPTH           | 46,0 cm   |
| PACKAGE HEIGHT     | 59 cm      | NET WEIGHT              | 34 kg     |
| GROSS WEIGHT       | 41 kg      | VOLUME                  | 0,27 m³   |

ACCESSORIES

|        |                                                          |
|--------|----------------------------------------------------------|
| 399569 | ADJUSTABLE WATER TAP FOR KITCHENS WITH A FLUE            |
| 399573 | PAIR OF CLOSING ELEMENTS FOR BASES AND WORKTOPS (L=90CM) |

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | рис.1 - 5415.561.00