


613014**PF105GG7****6-burner gas cooker on GN2/1 gas static oven and 1 grid**

- 6-burner gas cooker on a GN 2/1 gas static oven (70 cm) and a cabinet with a door (35 cm).
- Deep drawn worktop featuring rounded corners to prevent overflows and ensure enhanced hygiene and easy cleaning. Made with AISI 304 stainless steel with Scotch Brite finish.
- High-efficiency cast iron burners and flame spreaders with a single ring (3.3 and 4.5 kW) and double ring (7.2 kW).
- Main burner ignition via pilot burner with safety thermocouple.
- Valved gas cock.
- Enamelled cast iron pan support grid to resist acids, alkalis and flames.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

>> GN 2/1 GAS STATIC OVEN

>> Stainless steel oven door and cooking chamber.

>> Long-lasting steel mesh and glass fibre gasket resistant to high temperatures.

>> Fitted with thermostatic valve, 0-150-290°C adjustment.

>> Heating through a tubular burner with diffusor (steel, 4 mm thick).

>> Pilot burner ignition with a thermocouple through a piezoelectric device.

>> Stainless steel removable side tray racks.

>> 1 grid included.

- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The equipment is delivered in accordance with the customer's specifications in terms of installed nozzles, even during testing. G20 natural gas is the standard configuration. In addition, spare nozzles are included should conversion be necessary on site.

TECHNICAL DATA

TOTAL POWER	37 kW	GAS POWER	37 kW
OVEN POWER	7 kW	OPEN BURNER POWER	2X7,2+2X3,3+2X4,5 n°- kW
BOILING TOP POWER	30 kW	TRAY CAPACITY	n° 4XGN2/1
NATURAL GAS CONSUMPTION	3,91 m³/h	COOKING CHAMBER DIMENSIONS	57,5X65X30 cm
OVEN DIMENSIONS	GN2/1	CABINET DIMENSIONS	34,5X57X40 cm
GUIDES	n° 4	NUMBER OF BURNERS	n° 6
VERTICAL DISTANCE BETWEEN TRAYS	6 cm	OVEN TEMPERATURE RANGE	150÷290 °C
BOILING PAN SUPPORT	RAAF ENAMELLED CAST IRON	OVEN TYPE	STATIC
CE GAS CERTIFICATE NUMBER	CE-0085B00091	GAS CONNECTION DIAMETER	1/2" G EN10226-1
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	4	WIDTH	105 cm
DEPTH	70 cm	HEIGHT	85 cm
PACKAGE WIDTH	109 cm	PACKAGE DEPTH	80 cm
PACKAGE HEIGHT	114 cm	NET WEIGHT	132 kg
GROSS WEIGHT	153 kg	VOLUME	0,99 m³

ACCESSORIES

120655	PAN SUPPORT REDUCER
220585	JOINT
220590	EXTRA OVEN GRID GN2/1 (53X63CM)

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | рис.1 - 5415.616.00