
616041

BM70E7**GN2/1 electric Bainmarie (top version)**



- Electric bain-marie GN2/1, (70 cm top version).
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Bain-marie maintains food temperature and melts delicate solid food, such as chocolate, butter, and lard.
- AISI 304 stainless steel deep drawn tank with rounded corners sealed to the AISI 304 stainless steel top with Scotch Brite finish.
- Heating through Incoloy armoured heating elements outside the tank.
- Thermostatic control 0-30-60-90°C.
- Safety thermostat to protect the tank against ignition without water or excessive evaporation.
- Manual water filling.
- Front drain with elbow extension included.
- Technical compartment for easy connection to the electrical network.
- Height-adjustable rubberised plastic feet (15-25 mm).

TECHNICAL DATA

TOTAL POWER	2,6 kW	ELECTRIC POWER	2,6 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
TEMPERATURE RANGE	0÷90 °C	TANK CAPACITY	GN2/1
TANK DIMENSIONS	63X51X16,5 cm	TANK TYPE	AISI 304
FOOT HEIGHT	15 mm	FOOT ADJUSTMENT	15/25 mm
IPX RATING	3	WIDTH	70 cm
DEPTH	70 cm	HEIGHT	28 cm
PACKAGE WIDTH	76 cm	PACKAGE DEPTH	80 cm
PACKAGE HEIGHT	53 cm	NET WEIGHT	22,6 kg
GROSS WEIGHT	29 kg	VOLUME	0,33 m³

ACCESSORIES

120580	BAINMARIE FALSE BOTTOM (GN1/1)
120650	LID (GN1/1)
220585	JOINT

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | рис.1 - 5415.655.00