616092

PCU35FE7

Freestanding electric boiling top with 2 squared coplanar plates (30x30 cm - 11.8x11.8 in) on open cabinet

- Freestanding boiling top with 2 coplanar, fixed electric plates on an open cabinet (35 cm).
- Coplanar, squared, cast iron electric plates (30x30 cm and 6 mm thick) not hermetically sealed to the boiling top.
- 2.5 kW power for each plate adjustable to 6 levels.
- Temperature limiter inside the plates to reduce energy consumption.
- Heating commands and separated controls for each plate.
- Lights warning when the plates are ignited.
- Cooking residue collecting drawer.
- AISI 304 stainless steel height-adjustable feet (133/195 mm)
- Stainless steel control panel, side and back panels.
- Module coupling system with external side joints.
- Technical compartment to facilitate connection to the electrical network.

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it

TECHNICAL DATA

TOTAL POWER	5 kW	ELECTRIC POWER	5 kW
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
IPX RATING	4	WIDTH	35 cm
DEPTH	70 cm	HEIGHT	85 cm
PACKAGE WIDTH	81,0 cm	PACKAGE DEPTH	47,0 cm
PACKAGE HEIGHT	115 cm	NET WEIGHT	47 kg
GROSS WEIGHT	59 kg	VOLUME	0,43 m³

ACCESSORIES

220585	JOINT
220722	COVERING PANEL FOR FREESTANDING ELEMENTS (50MM)
319002	STAINLESS STEEL RIGHT/LEFT DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
619009	RIGHT/LEFT STAINLESS STEEL DOOR FOR BASES

TECNOINOX Srl reserves the right to make changes at any time without prior notice.
tecnoinox.it

INSTALLATION DIAGRAMS



Fig.1 | Abb.1 | рис.1 - 5415.661.00