

713211

Super 6-burner hermetic gas cooker on GN2/1 gas static oven and 1 grid



- Cucina a gas 6 fuochi SUPER su forno gas statico GN 2/1 da 80 cm e vano con porta da 40 cm.
- Bruciatori ermetici con basamento in ghisa e ghiera spartifiamma in ottone monocorona da 7,5kW.
- Piano di lavoro stampato in profondità per evitare traboccamenti e con angoli arrotondati per la massima igiene e facilità di pulizia.
- Accensione del bruciatore principale tramite fiamma pilota dotata di termocoppia di sicurezza.
- Rubinetto a gas valvolato.
- Predisposizione per installazione colonnina d'acqua.
- Griglie posapentole in ghisa smaltate per essere resistenti agli acidi, agli alcali e alla fiamma.
- Piedini in acciaio inossidabile AISI 304 regolabili in altezza 133/195 mm.

>> FORNO GAS STATICO GN 2/1

>> Porta forno in acciaio inossidabile AISI 304.

>> Camera di cottura in acciaio inox e guarnizione di lunga durata in maglia d'acciaio e fibra di vetro resistente alle alte temperature.

>> Dotato di rubinetto termostatico, regolazione 150-290°C.

>> Accensione della fiamma pilota con termocoppia tramite piezoelettrico.

>> Guide laterali in acciaio inox rimovibili.

>> 1 griglia in dotazione.

- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.

TECHNICAL DATA

TOTAL POWER	52 kW	GAS POWER	52 kW
OVEN POWER	7 kW	OPEN BURNER POWER	6X7,5 n°- kW
BOILING TOP POWER	45 kW	TRAY CAPACITY	n° 4XGN2/1
NATURAL GAS CONSUMPTION	5,50 m³/h	COOKING CHAMBER DIMENSIONS	57,5X65X30 cm
OVEN DIMENSIONS	GN2/1	CABINET DIMENSIONS	33X57,4X39,5 cm
GUIDES	n° 4	NUMBER OF BURNERS	n° 6
VERTICAL DISTANCE BETWEEN TRAYS	6 cm	OVEN TEMPERATURE RANGE	150÷290 °C
BOILING PAN SUPPORT	RAAF ENAMELLED CAST IRON	OVEN TYPE	STATIC
CE GAS CERTIFICATE NUMBER	CE-0085B00091	GAS CONNECTION DIAMETER	3/4"G EN10226-1
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
WIDTH	120 cm	DEPTH	70 cm
HEIGHT	90 cm	PACKAGE WIDTH	123 cm
PACKAGE DEPTH	80 cm	PACKAGE HEIGHT	113 cm
NET WEIGHT	142,1000 kg	GROSS WEIGHT	168 kg
VOLUME	1,11 m³		

ACCESSORIES

220590	EXTRA OVEN GRID GN2/1 (53X63CM)
319068	HERMETIC FLAME SPREADER (5 - 6 - 7,5 KW)
399516	ADJUSTABLE WATER TAP
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | pnc.1 - 5415.647.00