

713215

6-burner hermetic gas boiling top Super with cast iron grids on gas static full-size oven with 1 grid



- Cucina a gas 6 fuochi SUPER su forno a gas statico FULL-SIZE H30 92,5x63x30 cm.
- Bruciatori ermetici con basamento in ghisa e ghiera spartifiamma in ottone monocorona da 7,5kW.
- Piano di lavoro stampato in profondità per evitare traboccamenti e con angoli arrotondati per la massima igiene e facilità di pulizia.
- Accensione del bruciatore principale tramite fiamma pilota dotata di termocoppia di sicurezza.
- Rubinetto a gas valvolato.
- Predisposizione per installazione colonnina d'acqua.
- Griglie posapentole in ghisa smaltate per essere resistenti agli acidi, agli alcali e alla fiamma.
- Piedini in acciaio inossidabile AISI 304 regolabili in altezza 133/195 mm.

>> FORNO A GAS STATICO FULL-SIZE H30 92,5x63x30 CM.

>> Porta forno in acciaio inossidabile AISI 304.

>> Camera di cottura in acciaio inox con 2 fondi rimovibili in acciaio decappato spessore 3 mm.

>> Guarnizione di lunga durata in maglia d'acciaio e fibra di vetro resistente alle alte temperature.

>> Bruciatore tubolare in acciaio cromato a 2 rami.

>> Valvola termostatica di lavoro con temperatura massima di 300°C.

>> Accensione della fiamma pilota con termocoppia tramite piezoelettrico.

>> Guide laterali in acciaio inox rimovibili.

>> 1 griglia in dotazione

- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Technical compartment to facilitate connection to the gas network.
- The gas appliances are CE-certified by German body DVGW and have passed the most stringent safety tests.
- The supply of the equipment follows the customer's wishes in terms of nozzles installed, even during the testing phase. The standard configuration is G20 natural gas. In addition, a set of nozzles is supplied should conversion on site be necessary.

TECHNICAL DATA

TOTAL POWER	52 kW	GAS POWER	52 kW
OVEN POWER	7 kW	OPEN BURNER POWER	6X7,5 n°- kW
BOILING TOP POWER	45 kW	TRAY CAPACITY	n° 4X(883X603)
NATURAL GAS CONSUMPTION	5,50 m³/h	COOKING CHAMBER DIMENSIONS	92,5X63X30 cm
OVEN DIMENSIONS	FULL SIZE H. 30 CM	GUIDES	n° 4
NUMBER OF BURNERS	n° 6	VERTICAL DISTANCE BETWEEN TRAYS	6 cm
OVEN TEMPERATURE RANGE	150÷290 °C	BOILING PAN SUPPORT	RAAF ENAMELLED CAST IRON
OVEN TYPE	STATIC	CE GAS CERTIFICATE NUMBER	CE-0085B00091
GAS CONNECTION DIAMETER	3/4" G EN10226-1	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	WIDTH	120 cm
DEPTH	70 cm	HEIGHT	90 cm
PACKAGE WIDTH	125,0 cm	PACKAGE DEPTH	80 cm
PACKAGE HEIGHT	110 cm	NET WEIGHT	160,5 kg
GROSS WEIGHT	183,4 kg	VOLUME	1,10 m³

ACCESSORIES

220595	EXTRA FULL-SIZE OVEN GRID (88X62CM)
319068	HERMETIC FLAME SPREADER (5 - 6 - 7,5 KW)
399516	ADJUSTABLE WATER TAP
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | pnc.1 - 5415.647.00