
716048

SP4E7**GN1/1 electric chip-scuttle top**



- Electric chip scuttle (40 cm), top version.
- Power: 1 kW.
- Height-adjustable rubberised plastic feet (15-25 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Heating through a lamp with ceramic-cast infrared heating element
- Supplied with removable GN 1/1 H150 mm container with false bottom for oil dripping, both in AISI 304 stainless steel.
- Energy regulator 1-6-Infinite.
- Technical compartment for easy connection to the electrical network.

TECHNICAL DATA

TOTAL POWER	1 kW	ELECTRIC POWER	1 kW
FREQUENCY	50/60 Hz	VOLTAGE	220-240 ~ V
TANK CAPACITY	GN1/1	TANK DIMENSIONS	32,5X53X15 cm
TANK TYPE	AISI 304	FOOT HEIGHT	15 mm
FOOT ADJUSTMENT	15/25 mm	IPX RATING	4
WIDTH	40 cm	DEPTH	70 cm
HEIGHT	28 cm	PACKAGE WIDTH	79,0 cm
PACKAGE DEPTH	47,0 cm	PACKAGE HEIGHT	59,0 cm
NET WEIGHT	16,4000 kg	GROSS WEIGHT	22 kg
VOLUME	0,2200 m³		

ACCESSORIES

799506	PAIR OF CLOSING ELEMENTS (L=70CM)
--------	-----------------------------------

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | рис.1 - 5415.652.00