
716206

FTL12FE7**Freestanding electric griddle with smooth plate on open cabinet**



- Freestanding electric griddle with a smooth steel cooking plate on an open cabinet (120 cm).
- The cooking plate, recessed and hermetically welded to the worktop, allows you to cook large quantities of different foods.
- Sloped cooking plate (15 mm thick) to facilitate the drainage of grease and liquids.
- 3 independent cooking zones.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).
- AISI 304 stainless steel worktop and Scotch Brite finish with internal side-by-side joining system.
- AISI 304 stainless steel control panel and side panels.
- Equipment intended for direct cooking of food, use for heating pots or pans is not permitted.
- Heating through stainless steel armoured heating elements.
- Operating thermostatic valve with temperature control ranging between 70°C and 310°C.
- Heating and control commands specific for each zone.
- Removable liquid and grease collection drawer with overflow hole.
- Fitted with a safety thermostat that triggers in case of abnormal operation.
- Removable splashback on 3 sides and cap supplied.
- Technical compartment for easy connection to the electrical network mains.

TECHNICAL DATA

TOTAL POWER	11,7 kW	ELECTRIC POWER	11,7 kW
FREQUENCY	50/60 Hz	VOLTAGE	380-415 3N~ V
TEMPERATURE RANGE	60÷270 °C	CABINET DIMENSIONS	113X57,4X39,5 cm
COOKING SURFACE	113X56 cm	PLATE TYPE	SMOOTH
HEATING ZONES	n° 3	FOOT HEIGHT	155 mm
FOOT ADJUSTMENT	155/250 mm	IPX RATING	4
WIDTH	120 cm	DEPTH	70 cm
HEIGHT	90 cm	PACKAGE WIDTH	125 cm
PACKAGE DEPTH	82 cm	PACKAGE HEIGHT	112 cm
NET WEIGHT	137 kg	GROSS WEIGHT	150 kg
VOLUME	1,15 m³		

ACCESSORIES

120595	GRIDDLE-CLEANING SCRAPER
120597	SCRAPER - REPLACEMENT BLADE KIT (10 PIECES)
319002	STAINLESS STEEL RIGHT/LEFT DOOR FOR TECNO74, TECNO90, MOSAICO74, MOSAICO90
719006	TECNO74 REAR COVERING PANEL FOR FREESTANDING ELEMENTS (L=120CM)
719040	SIDE HEAT PROTECTION DEVICE
719051	RECESSED HYGIENIC H2 COMPARTMENT FOR CABINET DIM. 80CM TECNO74
799503	SIDE COVERING PANEL FOR FREESTANDING MODULE
799506	PAIR OF CLOSING ELEMENTS (L=70CM)

INSTALLATION DIAGRAMS




Fig.1 | Abb.1 | рис.1 - 5415.654.00